



Diamond expanded meshes




R 0,60




R 1




R 0,75




R 1,5




R 0,85



R 2



R 2,5



R 3

DL mm	DC mm	Strand width av/mm	Strand thickness sp/mm	Weight kg/m ²	Maximum width of sheet/coil mm
R 0,60	0,50	0,18	0,12	0,600	300 - 500
R 0,75	0,60	0,20	0,12	0,650	300 - 500
R 0,85	0,65	0,23	0,15	0,700	300 - 500
R 1	0,75	0,27	0,15	0,750	500
	0,75	0,23	0,20	1,000	300
R 1,5	1,00	0,35	0,15	0,700	500 - 1000
	1,00	0,30	0,20	1,000	500
	1,00	0,30	0,30	1,500	500
R 2	1,30	0,35	0,15	0,650	500 - 1000
	1,30	0,35	0,20	0,850	500 - 1000
	1,30	0,30	0,30	1,100	500 - 1000
R 2,5	1,50	0,35	0,20	0,750	500 - 1000
	1,50	0,30	0,30	1,000	500 - 1000
	1,50	0,30	0,40	1,300	500
R 3	1,80	0,40	0,30	1,100	1000
	1,80	0,40	0,40	1,450	1000
	1,80	0,40	0,50	1,800	1000


Mesh produced in all materials, in rolls or sheets, standard or personalised thickness and shapes.

The most popular strand thickness sizes are shown.

The weights given are approximate only, depending on the material chosen and the short way of the mesh.


The Kg per m² figure applies to mild steel or stainless steel material.

Meshes shown life-size, but please allow for photo tolerances.




Key


R = DL
 DL = long way
 DC = short way
 av = strand width
 sp = strand thickness




Diamond expanded meshes




R 3,5




R 6




R 4




R 8




R 5



R 10





R 12,5



R 16

DL mm	DC mm	Strand width av/mm	Strand thickness sp/mm	Weight kg/m ²	Maximum width of sheet/coil mm
R 3,5	1,90	0,40	0,30	1,050	1000
	1,90	0,40	0,40	1,350	1000
	1,90	0,40	0,50	1,700	1000
R 4	2,00	0,50	0,30	1,200	1000
	2,00	0,50	0,40	1,600	1000 - 1250
	2,00	0,50	0,50	2,000	1000 - 1250
R 5	2,80	0,60	0,30	1,050	1000
	2,80	0,60	0,40	1,400	1000 - 1250
	2,80	0,60	0,50	2,000	1000 - 1250
R 6	3,50	0,70	0,40	1,300	1000 - 1250
	3,50	0,70	0,50	1,600	1000 - 1250
	3,50	0,75	0,60	2,100	1000 - 1250
R 8	4,00	0,80	0,50	1,600	1000 - 1250
	4,00	0,80	0,80	2,600	1000 - 1250
	4,00	0,80	1,00	3,200	1000 - 1250
R 10	5,80	1,00	0,50	1,400	1000 - 1250
	5,80	1,00	0,80	2,250	1000 - 1250 - 1500
	5,80	1,00	1,00	2,800	1000 - 1250 - 1500
R 12,5	6,00	1,00	0,50	1,350	1000 - 1250
	6,00	1,00	0,80	2,150	1000 - 1250 - 1500
	6,00	1,00	1,00	2,700	1000 - 1250 - 1500
R 16	8,00	1,50	0,50	1,500	1000 - 1250
	8,00	1,50	0,80	2,400	1000 - 1250 - 1500
	8,00	1,50	1,00	3,000	1000 - 1250 - 1500



Mesh produced in all materials, in rolls or sheets, standard or personalised thickness and shapes.


The most popular strand thickness sizes are shown.

The weights given are approximate only, depending on the material chosen and the short way of the mesh.


The Kg per m² figure applies to mild steel or stainless steel material.

Meshes shown life-size, but please allow for photo tolerances.


Diamond expanded meshes



R 20




R 28



R 25



R 35



R 43

DL mm	DC mm	Strand width av/mm	Strand thickness sp/mm	Weight kg/m ²	Maximum width of sheet/coil mm
R 20	10,00	1,50	0,80	1,950	1000 - 1250 - 1500
	10,00	1,50	1,00	2,400	1000 - 1250 - 1500
	10,00	1,50	1,50	3,600	1000 - 1250 - 1500
R 25	13,00	1,50	0,80	1,500	1000 - 1250
	13,00	1,50	1,00	1,850	1000 - 1250
	13,00	1,50	1,50	2,800	1000 - 1250
R 28	10,00	1,50	0,80	1,950	1000 - 1250 - 1500
	10,00	1,50	1,00	2,400	1000 - 1250 - 1500
	10,00	1,50	1,50	3,600	1000 - 1250 - 1500
R 35	17,00	1,50	0,80	1,150	1000 - 1250
	17,00	1,50	1,00	1,450	1000 - 1250
	17,00	1,50	1,50	2,150	1000 - 1250
R 43	13,00	1,50	1,00	1,850	1000 - 1250 - 1500
	13,00	2,00	1,50	3,700	1000 - 1250 - 1500
	13,00	2,50	1,50	4,300	1000 - 1250 - 1500


Mesh produced in all materials, in rolls or sheets, standard or personalised thickness and shapes.

The most popular strand thickness sizes are shown.

The weights given are approximate only, depending on the material chosen and the short way of the mesh.

The Kg per m² figure applies to mild steel or stainless steel material.

Mesher shown life-size, but please allow for photo tolerances.



Key

- R = DL
- DL = long way
- DC = short way
- av = strand width
- sp = strand thickness